

Dialog DataStar

options

logout

feedback

help

databases

easy
search**Advanced Search:**

Inspec - 1898 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	display	unrestricted	134608	show titles
2	INZZ	substrate	unrestricted	204465	show titles
3	INZZ	capacitance	unrestricted	63645	show titles
4	INZZ	capacitor	unrestricted	46180	show titles
5	INZZ	3 OR 4	unrestricted	102006	show titles
6	INZZ	1 AND 2 AND 5	unrestricted	69	show titles
7	INZZ	1 OR 2	unrestricted	335975	show titles
8	INZZ	5 AND 7	unrestricted	7291	show titles
9	INZZ	bus	unrestricted	79831	show titles
10	INZZ	gate	unrestricted	123636	show titles
11	INZZ	scan	unrestricted	38140	show titles
12	INZZ	row	unrestricted	14655	show titles
13	INZZ	data	unrestricted	1709904	show titles
14	INZZ	column	unrestricted	46685	show titles
18	INZZ	source	unrestricted	395107	show titles
19	INZZ	9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 18	unrestricted	2248766	show titles
20	INZZ	8 AND 19	unrestricted	2206	show titles
21	INZZ	block ADJ split	unrestricted	14	show titles

[show last 10 searches](#) | [hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)
Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping
 [whole document](#)

 Information added since: or: [none](#)

search

Images



Welcome United States Patent and Trademark Office

☐ [Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Tue, 8 May 2007, 8:31:36 AM EST

Search Query Display

Select a search number (#)
to:


- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((substrate)<in>metadata)
- #2 (((((substrate)<in>metadata))<AND>(capacitance<in>metadata))
- #3 ((((((substrate)<in>metadata))<and>(capacitance<in>metadata)))<AND>(display<in>metadata))
- #4 (block split<IN>metadata)



Indexed by

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S18 7	291	S185 and S186	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:17
S18 6	1909	(345/1.1-4).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 12:17
S18 5	69940	S183 and S184	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:17
S18 3	125341	S181 and S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:17
S18 2	618544	(multiple plural\$5 (first and second) several number two) with (display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:17
S18 1	2330227	capacit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 12:17

EAST Search History

S18 0	94	("20010054986" "20020021258" "4423929" "4443062" "4597635" "4630122" "4679043" "4690510" "4702560" "4745485" "4801933" "4816816" "4824212" "4845473" "4875036" "4878741" "4908710" "4985698" "5049865" "5157387" "5434599" "5436744" "5457551" "5473347" "5519521" "5541622" "5594618" "5625474" "5699117" "5701142" "5703615" "5731952" "5745090" "5748171" "5764225" "5810604" "5818402" "5828363" "5861929" "5870082" "5874933" "5943033" "6067134" "6084572" "6121954" "6198472" "6205021" "6222516" "6229502" "6232938" "6239786" "6259425" "6262785" "6377321" "6392725" "6433777" "6646622" "6697039").PN. OR ("2002/0097194" "2002/0109649" "2003/0112204" "2004/0021616" "2005/0156811" "5512915" "6426595" "6529257" "6677925" "6697039" "6826042" "6954184").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/30 12:17
S18 8	4	("6326959" "6529257" "6677925" "6954184").PN. OR ("7167141").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/30 12:22
S18 9	723	(345/1.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/04/30 12:41
S19 1	11	S189 and S190	US-PGPUB; USPAT	OR	ON	2007/04/30 12:42
S19 0	48890	capacitance with (line wire)	US-PGPUB; USPAT	OR	ON	2007/04/30 12:42
S16 7	1812	(345/1.1-4).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 12:54
S19 4	3345	S182 and S193	US-PGPUB; USPAT	OR	ON	2007/04/30 12:55
S19 3	3624	S190 and S192	US-PGPUB; USPAT	OR	ON	2007/04/30 12:55

EAST Search History

S19 2	55341	((345/1.1-4,204,87,55) or (315/169.1-169.4)).CCLS. or ("349").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 12:55
S19 6	3152	S195 and pixel	US-PGPUB; USPAT	OR	ON	2007/04/30 12:58
S19 5	3276	S184 and S194	US-PGPUB; USPAT	OR	ON	2007/04/30 12:58
S53	174797	lcd or "liquid crystal display"	US-PGPUB; USPAT	OR	ON	2007/04/30 12:59
S21 1	4080	S209 and S210	US-PGPUB; USPAT	OR	ON	2007/04/30 13:00
S21 0	939984	(gate row scan) and (source data address column)	US-PGPUB; USPAT	OR	ON	2007/04/30 13:00
S20 9	4266	S207 and S208	US-PGPUB; USPAT	OR	ON	2007/04/30 13:00
S20 8	31630	active adj matrix	US-PGPUB; USPAT	OR	ON	2007/04/30 13:00
S20 7	9234	S205 and S206	US-PGPUB; USPAT	OR	ON	2007/04/30 13:00
S20 6	89463	((("345") or ("349"))).CLAS.	US-PGPUB; USPAT	OR	OFF	2007/04/30 13:00
S20 5	31072	S202 and S203 and S204	US-PGPUB; USPAT	OR	ON	2007/04/30 13:00
S20 2	4034989	@ad<"20021125"	US-PGPUB; USPAT	OR	ON	2007/04/30 13:00
S20 1	16	S199 and S200	US-PGPUB; USPAT	OR	ON	2007/04/30 13:00
S20 0	89463	((("345") or ("349"))).CLAS.	US-PGPUB; USPAT	OR	OFF	2007/04/30 13:00
S19 9	1073	block adj split	US-PGPUB; USPAT	OR	ON	2007/04/30 13:00
S19 8	2951	S196 and S197	US-PGPUB; USPAT	OR	ON	2007/04/30 13:01
S21 2	479957	lcd or "liquid crystal display"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:02
S19 7	216739	lcd or "liquid crystal display"	US-PGPUB; USPAT	OR	ON	2007/04/30 13:02

EAST Search History

S21 5	1387974	(gate row scan) and (source data address column)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:03
S21 3	972184	capacitor capacitance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:03
S20 4	360327	(multiple plural\$5 (first and second several number two) with display	US-PGPUB; USPAT	OR	ON	2007/04/30 13:03
S20 3	463117	capacitor capacitance	US-PGPUB; USPAT	OR	ON	2007/04/30 13:03
S18 4	1387974	(gate row scan) and (source data address column)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:03
S21 7	1636	block adj split	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:04
S21 6	6907	active adj matrix adj substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:04
S96	933	block adj split	US-PGPUB; USPAT	OR	ON	2007/04/30 13:04
S51	191534	pixel	US-PGPUB; USPAT	OR	ON	2007/04/30 13:04
S20	3285	active adj matrix adj substrate	US-PGPUB; USPAT	OR	ON	2007/04/30 13:04

EAST Search History

S21 8	389180	pixel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:05
S21 9	1	S212 and S213 and S214 and S215 and S216 and S217 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:12
S22 1	357434	(multiple plural\$5 (first and second)) with display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:22
S22 0	2096	S212 and S213 and S214 and S215 and S216 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:22
S21 4	618544	(multiple plural\$5 (first and second) several number two) with display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 13:22
S22 2	1766	S212 and S213 and S221 and S215 and S216 and S218	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:22
S22 3	32786	(adjust\$4 compensat\$4) with capacitance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:23

EAST Search History

S22 4	11417	S215 and S223	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:24
S22 5	1449	S212 and S224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:25
S22 6	1071	S214 and S225	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:26
S23 0	10	("20020030648" "5574582" "5757450" "6052171" "6172732" "6310666" "6465824" "6522378" "6569717" "6683669").PN. OR ("7088323"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/30 14:32
S22 9	1	("7088323").PN.	US-PGPUB; USPAT	OR	OFF	2007/04/30 14:32
S22 8	491	S226 and S227	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 14:32
S22 7	55341	((345/1.1-4,204,87,55) or (315/169. 1-169.4)).CCLS. or ("349").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/08 07:49
L3	1348	1 and 2	US-PGPUB	OR	ON	2007/05/08 07:50
L2	21250	((capacitance capacitor) and (gate scan data source row column bus)). clm.	US-PGPUB	OR	ON	2007/05/08 07:51
L5	838	1 and 4	US-PGPUB	OR	ON	2007/05/08 07:52
L8	800	1 and 6	US-PGPUB	OR	ON	2007/05/08 07:54

EAST Search History

L6	5669	((capacitance capacitor) and (gate scan data source row column bus) and (multiple plural\$5 (first and second) several number another) and substrate).clm.	US-PGPUB	OR	ON	2007/05/08 07:54
L20	2	18 and 19	US-PGPUB	OR	ON	2007/05/08 08:10
L19	39708	(capacitance capacitor).clm.	US-PGPUB	OR	ON	2007/05/08 08:10
L18	336	(345/1.1).CCLS.	US-PGPUB	OR	OFF	2007/05/08 08:10
L4	6180	((capacitance capacitor) and (gate scan data source row column bus) and substrate).clm.	US-PGPUB	OR	ON	2007/05/08 08:10
L1	13265	((345/1.1-4,204,87,55) or (315/169.1-169.4)).CCLS. or ("349").CLAS.	US-PGPUB	OR	OFF	2007/05/08 08:10